


英制系列



| 轴承型号 | 内径尺寸   |        | 外径尺寸   |        | 宽度(B)       |               |             |               |
|------|--------|--------|--------|--------|-------------|---------------|-------------|---------------|
|      | mm     | inch   | mm     | inch   | 开放式<br>(mm) | 开放式<br>(inch) | 密闭式<br>(mm) | 密闭式<br>(inch) |
| 1601 | 4.762  | 0.1875 | 17.462 | 0.6875 | 6.35        | 0.25          | 7.938       | 0.3125        |
| 1602 | 6.35   | 0.25   | 17.462 | 0.6875 | 6.35        | 0.25          | 7.938       | 0.3125        |
| 1603 | 7.938  | 0.3125 | 22.225 | 0.875  | 7.144       | 0.2813        | 8.731       | 0.3437        |
| 1604 | 9.525  | 0.375  | 22.225 | 0.875  | 7.144       | 0.2813        | 8.731       | 0.3437        |
| 1605 | 7.938  | 0.3125 | 23.019 | 0.9063 | 7.938       | 0.3125        | 7.938       | 0.3125        |
| 1606 | 9.525  | 0.375  | 23.019 | 0.9063 | 7.938       | 0.3125        | 7.938       | 0.3125        |
| 1607 | 11.112 | 0.4375 | 23.019 | 0.9063 | 7.938       | 0.3125        | 7.938       | 0.3125        |
| 1608 | 9.525  | 0.375  | 28.575 | 1.125  | 9.525       | 0.375         | 9.525       | 0.375         |
| 1609 | 11.112 | 0.4375 | 28.575 | 1.125  | 9.525       | 0.375         | 9.525       | 0.375         |
| 1610 | 12.7   | 0.5    | 28.575 | 1.125  | 9.525       | 0.375         | 9.525       | 0.375         |
| 1611 | 11.112 | 0.4375 | 34.925 | 1.375  | 11.112      | 0.4375        | 11.112      | 0.4375        |
| 1612 | 12.7   | 0.5    | 34.925 | 1.375  | 11.112      | 0.4375        | 11.112      | 0.4375        |
| 1613 | 14.288 | 0.5625 | 34.925 | 1.375  | 11.112      | 0.4375        | 11.112      | 0.4375        |
| 1614 | 15.875 | 0.625  | 34.925 | 1.375  | 11.112      | 0.4375        | 11.112      | 0.4375        |
| 1615 | 15.875 | 0.625  | 41.275 | 1.625  | 12.7        | 0.5           | 12.7        | 0.5           |
| 1616 | 19.05  | 0.75   | 41.275 | 1.625  | 12.7        | 0.5           | 12.7        | 0.5           |
| 1617 | 15.875 | 0.625  | 44.45  | 1.75   | 12.7        | 0.5           | 12.7        | 0.5           |
| 1618 | 19.05  | 0.75   | 44.45  | 1.75   | 12.7        | 0.5           | 12.7        | 0.5           |
| 1619 | 19.05  | 0.75   | 50.8   | 2      | 14.288      | 0.5625        | 14.288      | 0.5625        |
| 1620 | 22.225 | 0.875  | 50.8   | 2      | 14.288      | 0.5625        | 14.288      | 0.5625        |
| 1621 | 25.4   | 1      | 50.8   | 2      | 14.288      | 0.5625        | 14.288      | 0.5625        |
| 1622 | 28.575 | 1.125  | 63.5   | 2.5    | 15.875      | 0.625         | 15.875      | 0.625         |

英制系列

|       |        |        |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1623  | 31.75  | 1.25   | 63.5   | 2.5    | 15.875 | 0.625  | 15.875 | 0.625  |
| 1624  | 31.75  | 1.25   | 65.087 | 2.5625 | 17.462 | 0.6875 | 17.462 | 0.6875 |
| 1625  | 33.337 | 1.3125 | 65.087 | 2.5625 | 17.462 | 0.6867 | 17.462 | 0.6875 |
| R2    | 3.175  | 0.125  | 9.525  | 0.375  | 3.969  | 0.1563 | 3.969  | 0.1563 |
| R2A   | 3.175  | 0.125  | 12.7   | 0.5    | 4.366  | 0.1719 | 4.366  | 0.1719 |
| R3    | 4.762  | 0.1875 | 12.7   | 0.5    | 3.969  | 0.1563 | 4.978  | 0.196  |
| R4    | 6.35   | 0.25   | 15.875 | 0.625  | 4.978  | 0.196  | 4.978  | 0.196  |
| R4A   | 6.35   | 0.25   | 19.05  | 0.75   | 5.556  | 0.2187 | 7.144  | 0.2813 |
| R6    | 9.525  | 0.375  | 22.225 | 0.875  | 5.556  | 0.2187 | 7.144  | 0.2813 |
| R8    | 12.7   | 0.5    | 28.575 | 1.125  | 6.35   | 0.25   | 7.938  | 0.3125 |
| R10   | 15.875 | 0.625  | 34.925 | 1.375  | 7.144  | 0.2813 | 8.731  | 0.3437 |
| R12   | 19.05  | 0.75   | 41.275 | 1.625  | 7.938  | 0.3125 | 11.112 | 0.4375 |
| R14   | 22.225 | 0.875  | 47.625 | 1.875  | 9.525  | 0.375  | 12.7   | 0.5    |
| R16   | 25.4   | 1      | 50.8   | 2      | 9.525  | 0.375  | 12.7   | 0.5    |
| R18   | 28.575 | 1.125  | 53.925 | 2.125  | 9.525  | 0.375  | 12.7   | 0.5    |
| R20   | 31.75  | 1.25   | 57.15  | 2.25   | 9.525  | 0.375  | 12.7   | 0.5    |
| R22   | 34.925 | 1.375  | 63.5   | 2.5    | 11.112 | 0.4375 | 14.288 | 0.5625 |
| R24   | 38.1   | 1.5    | 66.675 | 2.625  | 11.112 | 0.4375 | 14.288 | 0.5625 |
| R144  | 3.175  | 0.125  | 6.35   | 0.25   | 2.779  | 0.1094 | 2.779  | 0.1094 |
| R155  | 3.969  | 0.1563 | 7.938  | 0.3125 | 2.779  | 0.1094 | 3.175  | 0.125  |
| R156  | 4.762  | 0.1875 | 7.938  | 0.3125 | 2.779  | 0.1094 | 3.175  | 0.125  |
| R166  | 4.762  | 0.1875 | 9.525  | 0.375  | 3.175  | 0.125  | 3.175  | 0.125  |
| R168  | 6.35   | 0.25   | 9.525  | 0.375  | 3.175  | 0.125  | 3.175  | 0.125  |
| R186  | 4.762  | 0.1875 | 12.7   | 0.5    | 2.779  | 0.1094 | 3.969  | 0.1563 |
| R188  | 6.25   | 0.25   | 12.7   | 0.5    | 3.175  | 0.125  | 4.762  | 0.1875 |
| R1810 | 7.938  | 0.3125 | 12.7   | 0.5    | 3.969  | 0.1563 | 3.969  | 0.1563 |
| EE0   | 3.175  | 0.125  | 12.7   | 0.5    | 4.366  | 0.1719 | 4.366  | 0.1719 |
| EE1   | 4.762  | 0.1875 | 12.7   | 0.5    | 3.969  | 0.1563 | 4.978  | 0.196  |

英制系列

|       |        |        |        |          |        |        |        |        |
|-------|--------|--------|--------|----------|--------|--------|--------|--------|
| EE2   | 6.35   | 0.25   | 19.05  | 0.75     | 5.556  | 0.2187 | 7.144  | 0.2813 |
| EE3   | 9.525  | 0.375  | 22.225 | 0.875    | 5.556  | 0.2187 | 7.144  | 0.2813 |
| EE4   | 12.7   | 0.5    | 28.575 | 1.125    | 6.35   | 0.25   | 7.938  | 0.3125 |
| EE5   | 15.875 | 0.625  | 34.925 | 1.375    | 7.144  | 0.2813 | 8.731  | 0.3437 |
| EE6   | 19.05  | 0.75   | 41.275 | 1.625    | 7.938  | 0.3125 | 11.112 | 0.4375 |
| EE7   | 19.05  | 0.75   | 44.45  | 1.75     | 9.525  | 0.375  | 12.7   | 0.5    |
| EE8   | 22.225 | 0.875  | 47.625 | 1.875    | 9.525  | 0.375  | 12.7   | 0.5    |
| EE9   | 25.4   | 1      | 50.8   | 2        | 9.525  | 0.375  | 12.7   | 0.5    |
| EE10  | 28.575 | 1.125  | 53.975 | 2.125    | 9.525  | 0.375  | 12.7   | 0.5    |
| EE11  | 31.75  | 1.25   | 57.15  | 2.25     | 9.525  | 0.375  | 12.7   | 0.5    |
| EE12  | 34.925 | 1.375  | 63.5   | 2.5      | 11.112 | 0.4375 | 14.288 | 0.5625 |
| EE13  | 38.1   | 1.5    | 66.675 | 2.625    | 11.112 | 0.4375 | 14.288 | 0.5625 |
| RLS4  | 12.7   | 1/2"   | 33.338 | 1-5/16"  | 9.525  | 3/8"   | —      | —      |
| RMS4  | 12.7   | 1/2"   | 41.275 | 1-5/8"   | 15.875 | 5/8"   | —      | —      |
| RLS5  | 15.875 | 5/8"   | 39.688 | 1-9/16"  | 11.112 | 7/16"  | —      | —      |
| RMS5  | 15.875 | 5/8"   | 46.038 | 2-13/16" | 15.875 | 5/8"   | —      | —      |
| RLS6  | 19.05  | 3/4"   | 47.625 | 1-7/8"   | 14.288 | 9/16"  | —      | —      |
| RMS6  | 19.05  | 3/4"   | 50.8   | 2"       | 17.46  | 11/16" | —      | —      |
| RLS7  | 22.225 | 7/8"   | 50.8   | 2"       | 14.288 | 9/16"  | —      | —      |
| RMS7  | 22.225 | 7/8"   | 57.15  | 2-1/4"   | 17.46  | 11/16" | —      | —      |
| RLS8  | 25.4   | 1"     | 57.15  | 2-1/4"   | 15.875 | 5/8"   | —      | —      |
| RMS8  | 25.4   | 1"     | 63.5   | 2-1/2"   | 19.05  | 3/4"   | —      | —      |
| RLS9  | 28.575 | 1-1/8" | 63.5   | 2-1/2"   | 15.88  | 5/8"   | —      | —      |
| RMS9  | 28.575 | 1-1/8" | 71.438 | 3-13/16" | 20.625 | 13/16" | —      | —      |
| RLS10 | 31.75  | 1-1/4" | 69.85  | 2-3/4"   | 17.46  | 11/16" | —      | —      |
| RMS10 | 31.75  | 1-1/4" | 79.375 | 3-1/8"   | 22.225 | 7/8"   | —      | —      |
| RLS11 | 34.925 | 1-3/8" | 76.2   | 3"       | 17.46  | 11/16" | —      | —      |
| RMS11 | 34.925 | 1-3/8" | 88.9   | 3-1/2"   | 22.225 | 7/8"   | —      | —      |

英制系列

|       |        |        |        |        |       |         |   |   |
|-------|--------|--------|--------|--------|-------|---------|---|---|
| RLS12 | 38.1   | 1-1/2" | 82.55  | 3-1/4" | 19.05 | 3/4"    | — | — |
| RMS12 | 38.1   | 1-1/2" | 95.25  | 3-3/4" | 23.81 | 15/16"  | — | — |
| RLS13 | 41.275 | 1-5/8" | 88.9   | 3-1/2" | 19.05 | 3/4"    | — | — |
| RMS13 | 41.275 | 1-5/8" | 101.6  | 4"     | 23.81 | 15/16"  | — | — |
| RLS14 | 44.45  | 1-3/4" | 95.25  | 3-3/4" | 20.64 | 13/16"  | — | — |
| RMS14 | 44.45  | 1-3/4" | 107.95 | 4-1/4" | 26.99 | 1-1/16" | — | — |
| RLS15 | 47.625 | 1-7/8" | 101.6  | 4"     | 20.64 | 13/16"  | — | — |
| RMS15 | 47.625 | 1-7/8" | 114.3  | 4-1/2" | 26.99 | 1-1/16" | — | — |
| RLS16 | 50.8   | 2"     | 101.6  | 4"     | 20.64 | 13/16"  | — | — |
| RMS16 | 50.8   | 2"     | 114.3  | 4-1/2" | 26.99 | 1-1/16" | — | — |
| RLS18 | 57.15  | 2-1/4" | 114.3  | 4-1/2" | 22.23 | 7/8"    | — | — |
| RMS18 | 57.15  | 2-1/4" | 127    | 5"     | 31.75 | 1-1/4"  | — | — |
| RLS20 | 63.5   | 2-1/2" | 127    | 5"     | 23.81 | 15/16"  | — | — |
| RMS20 | 63.5   | 2-1/2" | 139.7  | 5-1/2" | 31.75 | 1-1/4"  | — | — |
| RLS22 | 69.85  | 2-3/4" | 133.34 | 5-1/4" | 23.81 | 15/16"  | — | — |