


23000 Series



Bearing Designation	d	D	B	weight kg
23022	110	170	45	3.71
23022K	110	170	45	3.58
23022KW33C3	110	170	45	3.58
23022W33C3	110	170	45	3.71
23024	120	180	46	4.05
23024K	120	180	46	3.9
23024KW33C3	120	180	46	3.9
23024W33C3	120	180	46	4.05
23026	130	200	52	5.9
23026K	130	200	52	5.69
23026KW33C3	130	200	52	5.69
23026W33C3	130	200	52	5.9
23028	140	210	53	6.35
23028K	140	210	53	6.12
23028KW33C3	140	210	53	6.12
23028W33C3	140	210	53	6.35
23030	150	225	56	7.73
23030K	150	225	56	7.45
23030KW33C3	150	225	56	7.45
23030W33C3	150	225	56	7.73
23032	160	240	60	9.42
23032K	160	240	60	9.09
23032KW33C3	160	240	60	9.09

23000 Series

23032W33C3	160	240	60	9.42
23034	170	260	67	12.7
23034K	170	260	67	12.3
23034KW33C3	170	260	67	12.3
23034W33C3	170	260	67	12.7
23036	180	280	74	16.7
23036K	180	280	74	16.1
23036KW33C3	180	280	74	16.1
23036W33C3	180	280	74	16.7
23038	190	290	75	17.7
23038K	190	290	75	17.1
23038KW33C3	190	290	75	17.1
23038W33C3	190	290	75	17.7
23040	200	310	82	22.7
23040K	200	310	82	21.9
23040KW33C3	200	310	82	21.9
23040W33C3	200	310	82	22.7
23044	220	340	90	29.9
23044K	220	340	90	28.8
23044KW33C3	220	340	90	28.8
23044W33C3	220	340	90	29.9
23048	240	360	92	33.4
23048K	240	360	92	32.2
23048KW33C3	240	360	92	32.2
23048W33C3	240	360	92	33.4
23052	260	400	104	48.5
23052K	260	400	104	46.8
23052KW33C3	260	400	104	46.8

23000 Series

23052W33C3	260	400	104	48.5
23056	280	420	106	52.4
23056K	280	420	106	50.6
23056KW33C3	280	420	106	50.6
23056W33C3	280	420	106	52.4
23060	300	460	118	72.4
23060K	300	460	118	70.2
23060KW33C3	300	460	118	70.2
23060W33C3	300	460	118	72.4