


24100 Series



Bearing Designation	d	D	B	weight kg
24122	110	180	69	7.07
24122K30	110	180	69	6.96
24122K30W33C3	110	180	69	6.96
24122W33C3	110	180	69	7.07
24124	120	200	80	10.3
24124K30	120	200	80	10.1
24124K30W33C3	120	200	80	10.1
24124W33C3	120	200	80	10.3
24126	130	210	80	11
24126K30	130	210	80	10.8
24126K30W33C3	130	210	80	10.8
24126W33C3	130	210	80	11
24128	140	225	85	13.3
24128K30	140	225	85	13.1
24128K30W33C3	140	225	85	13.1
24128W33C3	140	225	85	13.3
24130	150	250	100	20.2
24130K30	150	250	100	20
24130K30W33C3	150	250	100	20
24130W33C3	150	250	100	20.2
24132	160	270	109	26
24132K30	160	270	109	25.6
24132K30W33C3	160	270	109	25.6

24100 Series

24132W33C3	160	270	109	26
24134	170	280	109	27.2
24134K30	170	280	109	26.8
24134K30W33C3	170	280	109	26.8
24134W33C3	170	280	109	27.2
24136	180	300	118	34.3
24136K30	180	300	118	33.8
24136K30W33C3	180	300	118	33.8
24136W33C3	180	300	118	34.3
24138	190	320	128	42.8
24138K30	190	320	128	42.2
24138K30W33C3	190	320	128	42.2
24138W33C3	190	320	128	42.8
24140	200	340	140	53.4
24140K30	200	340	140	52.6
24140K30W33C3	200	340	140	52.6
24140W33C3	200	340	140	53.4
24144	220	370	150	67
24144K30	220	370	150	66
24144K30W33C3	220	370	150	66
24144W33C3	220	370	150	67
24148	240	400	160	82.2
24148K30	240	400	160	80.9
24148K30W33C3	240	400	160	80.9
24148W33C3	240	400	160	82.2
24152	260	440	180	114
24152K30	260	440	180	112
24152K30W33C3	260	440	180	112

24100 Series

24152W33C3	260	440	180	114
24156	280	460	180	120
24156K30	280	460	180	118
24156K30W33C3	280	460	180	118
24156W33C3	280	460	180	120
24160	300	500	200	161
24160K30	300	500	200	159
24160K30W33C3	300	500	200	159
24160W33C3	300	500	200	161